

SAFETY DATA SHEET

Q-RINSE

Red Color

je: 1 of 6

1. Product and Company Identification

Product Code: 4383
Product Name: Q-RINSE

Revision: 09/01/2022
Supersedes Revision: 05/28/2021

Manufacturer Information: PDQ Manufacturing, Inc.
201 Victory Circle
Ellijay, GA 30540
www.pdqonline.com

Phone Number:
(706)636-1848

Emergency Contact: Chemtrec (800)424-9300 24 Hour
Leak, Spill, Exposure, Fire, Accident

Supplier Name and Address: HYMAN PAPER COMPANY
P.O. BOX 5388

Phone Number:
843/395-0215

FLORENCE, SC 29502

2. Hazards Identification

Skin Corrosion/Irritation, Category 1A-1C

Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.
H318 - Causes serious eye damage.

GHS Precautionary Phrases: P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
P310 - Immediately call a POISON CENTER or doctor/physician.
P321 - Specific treatment see section 4 on this SDS.
P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal Phrases: P405 - Store locked up.
P501 - Dispose of contents/container in accordance to local/regional regulations.

SAFETY DATA SHEET

Page: 2 of 6

Q-RINSE

Potential Health Effects (Acute and Chronic): Harmful if swallowed. Causes severe skin burns and eye damage. Toxic to aquatic life.

Inhalation: Harmful if inhaled.

Skin Contact: Contact may cause burns to skin and eyes.

Eye Contact: Contact may cause burns to skin and eyes.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68424-85-1	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	1.6 -4.8 %
32426-11-2	1-Decanaminium, N,N-Dimethyl-N-octyl-, chloride {Decyldimethyloctylammonium chloride}	0.8 -2.4 %
7173-51-5	1-Decanaminium, N-Decyl-N,N-dimethyl-, chloride	0.8 -2.4 %
5538-94-3	1-Octanaminium, N,N-Dimethyl-N-octyl-, chloride	0.8 -2.4 %
64-17-5	Ethyl alcohol {Ethanol}	0.5 -1.5 %

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

In Case of Skin Contact: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a POISON CENTER or doctor/physician.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician.

In Case of Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician.

5. Fire Fighting Measures

Flash Pt: 0.00 F

Explosive Limits: LEL: UEL:

Autoignition Pt:

Suitable Extinguishing Media: Water spray, fog or alcohol-resistant foam.

Fire Fighting Instructions: Containers can build up pressure if exposed to heat (fire). Runoff from fire control or dilution water may cause pollution. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

Flammable Properties and Hazards:

SAFETY DATA SHEET

Q-RINSE

Page: 3 of 6

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:	For personal protection see section 8. Impervious gloves. Chemical safety goggles. Chemical resistant boots.
Environmental Precautions:	Do not discharge directly into the environment or into the sewer system. Avoid spillage reaches watercourses and sewerage systems.
Steps To Be Taken In Case Material Is Released Or Spilled:	Evacuate personnel to safe areas. Avoid contact with eyes, skin, and clothing.

7. Handling and Storage

Precautions To Be Taken in Handling:	Do not ingest or inhale. Do not get in eyes, on skin or clothing. Do not breathe dust, mist, or vapor. Use with adequate ventilation. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Store in original container. Keep out of reach of children.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68424-85-1	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides			
32426-11-2	1-Decanaminium, N,N-Dimethyl-N-octyl-, chloride {Decyldimethyloctylammonium chloride}			
7173-51-5	1-Decanaminium, N-Decyl-N,N-dimethyl-, chloride			
5538-94-3	1-Octanaminium, N,N-Dimethyl-N-octyl-, chloride			
64-17-5	Ethyl alcohol {Ethanol}	PEL: 1000 ppm	TLV: 1000 ppm	

Respiratory Equipment (Specify Type): Respirator protection is not normally required.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Use of gloves is recommended.

Other Protective Clothing:

Engineering Controls (Ventilation etc.): Use with adequate ventilation. Safety shower and eye bath.

Work/Hygienic/Maintenance Practices: Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse.

SAFETY DATA SHEET

Q-RINSE

Page: 4 of 6

9. Physical and Chemical Properties

Physical States: ☐ Gas ☒ Liquid ☐ Solid

Appearance and Odor: Clear red liquid
sweetish odor.

Freezing Point: ~ 0.00 C

Boiling Point: ~ 100.00 C

Decomposition Temperature: NA

Autoignition Pt:

Flash Pt: 0.00 F

Explosive Limits: LEL: UEL:

Specific Gravity (Water = 1): 0.979 - 0.999 at 20.0 C

Vapor Pressure (vs. Air or
mm Hg): 17.5 MM_HG at 20.0 C

Vapor Density (vs. Air = 1): NA

Evaporation Rate: ~ 1 (H₂O=1)

Solubility in Water: Complete

Saturated Vapor
Concentration: NA

Viscosity: Water thin

pH: 5.0-8.0 - @ 0.25%

Percent Volatile: > 85.0 % by weight.

VOC / Volume: 0.0000 G/L

10. Stability and Reactivity

Stability: Unstable ☐ Stable ☒

Conditions To Avoid - Avoid contact with acids, reducing agents, oxidizers, nitrogen oxides, amines, ammonia
Instability: or other nitrogen containing compounds.

Incompatibility - Materials To Chlorine Bleach.

Avoid:

Hazardous Decomposition or hydrogen chloride. Carbon dioxide, Carbon monoxide, nitrogen oxides.

Byproducts:

Possibility of Hazardous Will occur ☐ Will not occur ☒

Reactions:

Conditions To Avoid -

Hazardous Reactions:

SAFETY DATA SHEET

Q-RINSE

Page: 5 of 6

11. Toxicological Information

Toxicological Information:

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68424-85-1	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	n.a.	n.a.	n.a.	n.a.
32426-11-2	1-Decanaminium, N,N-Dimethyl-N-octyl-, chloride {Decyldimethyloctylammonium chloride}	n.a.	n.a.	n.a.	n.a.
7173-51-5	1-Decanaminium, N-Decyl-N,N-dimethyl-, chloride	n.a.	n.a.	n.a.	n.a.
5538-94-3	1-Octanaminium, N,N-Dimethyl-N-octyl-, chloride	n.a.	n.a.	n.a.	n.a.
64-17-5	Ethyl alcohol {Ethanol}	n.a.	1	A4	n.a.

12. Ecological Information

General Ecological Information: Toxic to aquatic life.

13. Disposal Considerations

Waste Disposal Method: Avoid release to the environment. Avoid spillage reaches watercourses and sewerage systems. Keep only in original container. Observe all federal, state, and local environmental regulations. Dispose of contents/container to ...

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Disinfectants, liquid, corrosive n.o.s. (Contains Alkylbenzyl Ammonium Chloride)
DOT Hazard Class: 8 CORROSIVE
UN/NA Number: UN1903 **Packing Group:** II



15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68424-85-1	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	No	No	No
32426-11-2	1-Decanaminium, N,N-Dimethyl-N-octyl-, chloride {Decyldimethyloctylammonium chloride}	No	No	No
7173-51-5	1-Decanaminium, N-Decyl-N,N-dimethyl-, chloride	No	No	No
5538-94-3	1-Octanaminium, N,N-Dimethyl-N-octyl-, chloride	No	No	No
64-17-5	Ethyl alcohol {Ethanol}	No	No	No

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists

68424-85-1	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No
32426-11-2	1-Decanaminium, N,N-Dimethyl-N-octyl-, chloride {Decyldimethyloctylammonium chloride}	CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
7173-51-5	1-Decanaminium, N-Decyl-N,N-dimethyl-, chloride	CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

SAFETY DATA SHEET

Page: 6 of 6

Q-RINSE

5538-94-3 1-Octanaminium, N,N-Dimethyl-N-octyl-, chloride CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -
Inventory; CA PROP.65: No
64-17-5 Ethyl alcohol {Ethanol} CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -
Inventory; CA PROP.65: No

16. Other Information

Revision Date: 09/01/2022
Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PPE	B

HMIS:

Additional Information About

This Product: EPA REG. NO. 6836-70-58880/EPA EST. NO. 58880-01

Company Policy or
Disclaimer: The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.